



EASY-TO-USE GUIDE TO ACCESS MACHINERY

+971 56 101 8428 , +971 56 545 3141
office@cherrypickers-rentals.com
www.cherrypickersglobal.com

CONTENTS

ABOUT CHERRY
PICKERS GLOBAL



P3

OUR EQUIPMENTS



P4

OUR RENTAL FLEET



P5-P36

ACCESS MACHINERY
RENTAL SPECIALIST



P37

ABOUT CHERRY PICKERS GLOBAL

We are a leading name in access platform trading, trusted by a wide customer base and supported by a strong supply chain.

OUR VISION

-Setting benchmarks in reliable services and Safe Equipments

OUR MISSION

-Understanding customer needs, Insisting Safety implementation in Access platform industry

OUR VALUE

-Focus on safe operation and lasting partnerships



OUR EQUIPMENTS

Telescopic Boom Lift-

-Telescopic boom lift is a mobile elevating work platform with a straight, extendable arm designed for maximum vertical height and horizontal outreach.

Articulated Boom Lift-

-Articulated boom lift is a versatile aerial work platform featuring multiple hinged boom sections, designed to lift personnel and materials "up, over, and out" to reach, complex, restricted, or elevated areas

Scissor Lift-

-A scissor lift is a versatile aerial work platform using crisscrossing supports to raise a platform vertically for safe access to heights

STRAIGHT UP?

-Choose a scissor lift for vertical access and indoor work.

HIGH OBSTACLES?


-Use an articulated boom lift to reach up and over obstacles.

EXTREME HEIGHT?

-A telescopic boom lift provides maximum height and outreach.

ROUGH TERRAIN?

-Select a 4x4 boom lift designed for uneven ground.



OUR RENTAL FLEET



UP & DOWN SINGLE DECK EXTENDS

FEATURES:

- Battery-driven_fumeless
- Narrow width
- Collapsible rails
- Good manoeuvrability

ELECTRIC SCISSORS

➡	Genie GS- 1930	—	P7
➡	Genie GS- 1932	—	P8
➡	Genie GS- 2032	—	P9
➡	Genie GS- 2646	—	P10
➡	Genie GS- 3246	—	P11
➡	JLG 3246ES	—	P12
➡	JLG M4069LE (HYBRID)	—	P13
➡	GENIE GS-4047	—	P14
➡	DINGLI-1412HD	—	P15
➡	DINGLI-1612HD	—	P16

ELECTRIC SCISSORS

Genie GS-1930



Genie GS-1930

Specification	Metric	Imperial
Working Height	7.79 m	25 ft 3 in
Platform Height	5.79 m	19 ft
Max Deck Extended	2.74 m	8 ft 9 in
Safe Working Load	227 kg	500 lb
Length	1.83 m	6 ft
Width	0.76 m	2 ft 6 in
Height	2.16 m	7 ft 1 in
Height (Rails Folded)	1.80 m	5 ft 11 in
Weight	1476 kg	3254 lb
Power Source	Battery	



ELECTRIC SCISSORS

Genie GS-1932



Genie GS-1932

Specification	Metric	Imperial
Working Height	7.60m	24 ft 11 in
Platform Height	5.6m	8 ft 5 in
Max Deck Extended	2.74m	9 ft
Safe Working Load	227 kg	500 lb
Length	1.83m	6 ft
Width	0.81m	2 ft 8 in
Height	2.11m	6 ft 11 in
Height (Rails Folded)	1.75m	5 ft 9 in
Weight	1,503 kg	3,314 lb
Power Source	Battery	



Genie GS-2032



Genie GS-2032

Specification	Metric	Imperial
Working Height	7.90m	25 ft 11 in
Platform Height	5.9m	19 ft 5 in
Max Deck Extended	3.33m	10 ft 11 in
Safe Working Load	363kg	800 lb
Length	2.44m	8 ft
Width	0.81m	2 ft 8 in
Height	2.13m	7ft
Height (Rails Folded)	1.78m	5 ft 9 in
Weight	1,825 kg	4,024lb
Power Source	Battery	
SWL(Extension Deck)	113kg	250 lb



Genie GS-2646



Genie GS-2646

Specification	Metric	Imperial
Working Height	9.80m	32 ft 1 in
Platform Height	7.80m	25 ft 6 in
Max Deck Extended	3.10m	10 ft 11 in
Safe Working Load	454 kg	1,000 lb
Length	2.41m	7 ft 11 in
Width	1.17m	3 ft 10 in
Height	2.26m	7ft 5 in
Height (Rails Folded)	1.68m	5 ft 6 in
Weight	2,447 kg	5,395 lb
Power Source	Battery	
SWL(Extension Deck)	113kg	250 lb



Genie GS-3246



Genie GS-3246

Specification	Metric	Imperial
Working Height	11.50m	32 ft 8 in
Platform Height	9.5m	31 ft 4 in
Max Deck Extended	3.10m	10 ft 11 in
Safe Working Load	318 kg	700 lb
Length	2.41	7 ft 11 in
Width	1.10m	3 ft 10 in
Height	2.39m	7ft 10 in
Height (Rails Folded)	1.8m	5 ft 11 in
Weight	2,812 kg	6,200 lb
Power Source	Battery	
SWL(Extension Deck)	113kg	250 lb



ELECTRIC SCISSORS

JLG 3246ES



JLG 3246ES

Specification	Metric	Imperial
Working Height	11.68 m	38 ft 4 in
Platform Height	9.68 m	31 ft 9 in
Max Deck Extended	1.27m	4.17 ft 50 in
Safe Working Load	320 kg	705 lb
Length	2.50 m	8ft 2 in
Width	1.17 m	3 ft 10 in
Height	2.36 m	7 ft 9 in
Height (Rails Folded)	2.01 m	6 ft 7 in
Weight	2,905kg	4,975 lb
Power Source	Battery	



JLG M4069LE



JLG M4069LE

Specification	Metric	Imperial
Working Height	14.02 m	46 ft
Platform Height	12.19 m	40 ft
Max Deck Extended	3.83 m	12 ft 6 in
Safe Working Load	362.87 kg	800 lb
Length	3.60 m	11 ft 10 in
Width	1.75 m	69 in
Height	2.84 m	9 ft 4 in
Height (Rails Folded)	2 m	6 ft 7 in
Weight	5,516 kg	11,500 lb
Power Source	Bi-Energy	
SWL(Extension Deck)	113 kg	250 lb



GENIE GS-4047



GENIE GS-4047

Specification	Metric	Imperial
Working Height	13.74m	45ft 1 in
Platform Height	11.91m	39ft 1 in
Max Deck Extended	3.18m	10ft 5 in
Safe Working Load	350kg	772lb
Length	2.44m	8ft
Width	1.19m	3ft 11 in
Height	2.54m	8ft 4in
Height (Rails Folded)	1.88m	6ft 2 in
Weight	3,221kg	7,100lb
Power Source	Battery	



ELECTRIC SCISSORS

DINGLI-1412HD




DINGLI-1412HD

Specification	Metric	Imperial
Working Height	13.80 m	45 ft 3 in
Platform Height	11.80 m	38 ft 9 in
Max Deck Extended	2.45m	8 ft 5 in
Safe Working Load	320kg	705 lb
Length	2.48 m	8 ft 2 in
Width	1.19 m	3ft 11 in
Height	2.62 m	8 ft 7 in
Height (Rails Folded)	2.09 m	7 ft 4 in
Weight	2,990 kg	6590 lb
Power Source	Battery	



ELECTRIC SCISSORS

DINGLI-1612HD



DINGLI-1612HD

Specification	Metric	Imperial
Working Height	15.7m	51.5 ft
Platform Height	13.7m	44 ft 11 in
Max Deck Extended	3.54m	11.91ft
Safe Working Load	250kg	550 lbs
Length	2.84 m	9ft 4in
Width	1.25m	3ft 23in
Height	2.62 m	8ft 7 in
Height (Rails Folded)	2.09m	7ft 4 in
Weight	3,420kg	7500lb
Power Source	Battery	



FEATURES:

- Diesel engine
- Large lifting capacity
- Large deck
- Extendible decks

UP & DOWN

**BOTH
DECKS
EXTEND**

DIESEL SCISSOR

➡ **Genie GS-4390RT — P18**

➡ **Genie GS-5390 — P19**

Genie GS-4390RT



Genie GS-4390RT

Specification	Metric	Imperial
Working Height	15.11m	49 ft
Platform Height	13 m	43 ft
Max Deck Extended	6.57 m	21 ft 7 in
Safe Working Load	680 kg	1500 lb
Length	3.94m	12 ft 25 in
Width	2.36 m	7 ft 8 in
Height	3.15 m	10 ft 4 in
Height (Rails Folded)	2.25m	7 ft 5 in
Weight	5973 kg	13,167 lbs
Power Source	Diesel	
SWL(Extension Deck)	227 kg	500 lb



Genie GS-5390



Genie GS-5390

Specification	Metric	Imperial
Working Height	17.98 m	59 ft
Platform Height	16 m	53 ft
Max Deck Extended	7.41 m	21 ft 4 in
Safe Working Load	680 kg	1500 lb
Length	4.88 m	16 ft
Width	2.29 m	90 in
Height	3.15 m	10 ft 4
Height (Rails Folded)	2.46m	8ft 1in
Weight	8,993 kg	19,830 lbs
Power Source	Diesel	
SWL(Extension Deck)	680 kg	1,500 lb



FEATURES:

UP-and-over boom to clear nearby obstacles, eg: a wall, one-storey addition next to main structure, a conservatory, fixed plant in a factory environment

UP & OVER

ARTICULATED BOOM LIFT

➔	JLG 450 AJ	—	P21
➔	Genie Z-45/25	—	P22
➔	JLG 510 AJ	—	P23
➔	JLG 600 AJ	—	P24
➔	Genie Z-60/34	—	P25
➔	Genie Z-62/40	—	P26
➔	JLG 800AJ	—	P27
➔	JLG E450AJ (Battery)	—	P28
➔	Genie Z -135	—	P29

ARTICULATED BOOM LIFT

JLG 450 AJ




JLG 450 AJ

Specification	Metric	Imperial
Working Height	15.72m	52 ft 7 in
Platform Height	13.72m	45 ft
Max Deck Extended	7.62m	25 ft
Safe Working Load	7.3m	24 ft
Length	250kg	550lb
Width	6.58m	21 ft 7 in
Height	2.35m	7 ft 9 in
Height (Rails Folded)	2.27m	7 ft 5 in
Weight	6,495 kg	14,319 lb
Power Source	Diesel	



ARTICULATED BOOM LIFT

Genie Z-45/25




Genie Z-45/25

Specification	Metric	Imperial
Working Height	15.94 m	52 ft
Platform Height	13.86 m	45 ft 6 in
Max Outreach	7.6 m	25 ft
Up and Over Clearance	7.14 m	23 ft 6 in
Safe Working Load	227 kg	500 lb
Length (Stowed)	6.83 m	22 ft 5 in
Width	2.29m	7 ft 6 in
Height (Stowed)	2.13 m	7 ft
Weight	7,400 kg	16,315 lbs
Power Source	Battery	



ARTICULATED BOOM LIFT

JLG 510AJ



JLG 510AJ

Specification	Metric	Imperial
Working Height	17.81 m	58.4 ft
Platform Height	15.81 m	51.8 ft
Max outreach	9.48 m	31 ft 1.5 in
Safe Working Load	230 kg	507 lb
Length	9.48 m	31 ft 1 in
Width	2.34 m	7 ft 8 in
Height (Stowed)	2.30 m	7 ft 6 in
Weight	7,685 kg	15,600 lb
Power Source	Diesel	



ARTICULATED BOOM LIFT

JLG 600AJ



JLG 600AJ

Specification	Metric	Imperial
Working Height	20.27m	66 ft 6 in
Platform Height	18.46m	60 ft 7 in
Max Outreach	12.12m	39 ft 9 in
Up and Over Clearance	8.1m	26 ft 7 in
Safe Working Load	227kg	500 lb
Length (Stowed)	8.84m	29 ft
Width	2.44m	8 ft
Height (Stowed)	2.54 m	8 ft 4 in
Weight	10,792 kg	23,796 lb
Power Source	Diesel	



ARTICULATED BOOM LIFT

Genie Z-60/34



Genie Z-60/34

Specification	Metric	Imperial
Working Height	20.22m	66 ft 4 in
Platform Height	18.39m	60 ft 4 in
Max Outreach	11.05m	36 ft 3 in
Up and Over Clearance	8.23m	27ft
Safe Working Load	227kg	500 lb
Length (Stowed)	8.15m	26 ft 9 in
Width	2.46m	8 ft 1 in
Height (Stowed)	2.69m	8 ft 10 in
Weight	10,437kg	23,014 lb
Power Source	Diesel	



ARTICULATED BOOM LIFT

Genie Z-62/40



Genie Z-62/40

Specification	Metric	Imperial
Working Height	20.87 m	67 ft 11 in
Platform Height	18.87 m	61 ft 11 in
Max Outreach	12.42 m	40 ft 9 in
Up and Over Clearance	7.8 m	25 ft 7 in
Safe Working Load	227 kg	500 lb
Length (Stowed)	7.57 m	24 ft 10 in
Width	2.49 m	8 ft 2 in
Height (Stowed)	2.54 m	8 ft 4 in
Weight	10,480 kg	22,665 lbs
Power Source	Diesel	



ARTICULATED BOOM LIFT

JLG 800AJ



JLG 800AJ

Specification	Metric	Imperial
Working Height	26.21m	86 ft
Platform Height	24.38m	80 ft
Max Outreach	15.79m	51 ft 10 in
up and Over clearance	9.78m	32 ft 1 in
Length	11.12m	36 ft 6 in
Safe Working Load	227kg	500 lb
Width	2.44m	8 ft
Height (Stowed)	3m	9 ft 10 in
Weight	15,670kg	34,552 lb
Power Source	Diesel	



ARTICULATED BOOM LIFT

JLG E450AJ



JLG E450AJ

Specification	Metric	Imperial
Working Height	15.72 m	51 ft
Platform Height	13.72 m	45 ft
Max Out reach	7.24m	23 ft 9 in
Safe Working Load	227 kg	500 lb
Length	6.45 m	21 ft 2 in
Width	1.75 m	5 ft 9 in
Up and Over Clearance	7.7m	25 ft 3 in
Height (stowed)	2.01 m	6 ft 7 in
Weight	6,670 kg	14,700 lb
Power Source	Battery	



ARTICULATED BOOM LIFT

Genie Z-135



Genie Z-135

Specification	Metric	Imperial
Working Height	43.15 m	141 ft
Platform Height	41.15 m	135 ft
Max Outreach	21.26 m	69 ft 5 in
Up and Over Clearance	23.01 m	75 ft 6 in
Safe Working Load	272 kg	600 lb
Length (Stowed)	12.93 m	42 ft 5 in
Width	2.46 m	8 ft 1 in
Height (Stowed)	3.09 m	10 ft 1 in
Weight	20,366 kg	44,900 lb
Power Source	Diesel	



FEATURES:

- Superior Outreach
- Diesel Engine
- Articulating jib

TELESCOPE OUT

TELESCOPIC BOOM LIFT

➡ **Genie S-45 — P31**

➡ **Genie S-65 — P32**

➡ **Genie S-85 — P33**

➡ **JLG 460 SJ — P34**

➡ **JLG 660 SJ — P35**

➡ **JLG 860 SJ — P36**

TELESCOPIC BOOM LIFT

Genie S-45



Genie S-45

Specification	Metric	Imperial
Working Height	15.72 m	51 ft
Platform Height	13.72 m	45 ft
Max Outreach	15.72 m	51 ft 7 in
Safe Working Load	227 kg	500 lb
Length	8.48 m	27 ft 10 in
Width	2.30 m	7 ft 6 in
Height (Stowed)	2.49 m	8 ft 2 in
Weight	6,709 kg	15,269 lbs
Power Source	Diesel	



TELESCOPIC BOOM LIFT

Genie S-65



Genie S-65

Specification	Metric	Imperial
Working Height	21.64m	71 ft
Platform Height	19.81m	65 ft
Max Outreach	17.12m	56 ft 2 in
Safe Working Load	227kg	500 lb
Length	9.50m	31 ft 2 in
Width	2.49m	8 ft 2 in
Height (Stowed)	2.72m	8 ft 11 in
Weight	10,531 kg	23,221 lb
Power Source	Diesel	



TELESCOPIC BOOM LIFT

Genie S-85



Genie S-85

Specification	Metric	Imperial
Working Height	27.74m	91 ft
Platform Height	25.91 m	85 ft
Max Outreach	23.32 m	76 ft 6 in
Safe Working Load	227kg	500 lb
Length (Stowed)	12.19 m	40 ft
Width Axles (Extended)	3.07 m	10 ft 1 in
Width Axles(Retracted)	2.44m	8 ft
Height (Stowed)	2.79 m	9 ft 2 in
Weight	16,883 kg	37,227 lb
Power Source	Diesel	



TELESCOPIC BOOM LIFT

JLG 460SJ



JLG 460SJ

Specification	Metric	Imperial
Working Height	16.05 m	52 ft
Platform Height	14.05 m	46 ft
Max Outreach	12.5 m	41 ft
Safe Working Load	272 kg	600 lb
Length	8.91 m	29 ft
Width	2.31 m	7 ft 6.8 in
Height (stowed)	12.5 m	41 ft
Weight	7,950 kg	16,600 lb
Power Source	Deisel	



TELESCOPIC BOOM LIFT

JLG 660SJ



JLG 660SJ

Specification	Metric	Imperial
Working Height	21.97m	72 ft 1 in
Platform Height	20.32m	66 ft 8 in
Max Outreach	17.30m	56 ft 9 in
Safe Working Load	227kg	500lb
Length(stowed)	10.21m	33 ft 6 in
Width	2.41m	7 ft 11 in
Height (stowed)	2.57m	8ft 5 in
Weight	13,476kg	29,715 lb
Power Source	Diesel	




TELESCOPIC BOOM LIFT

JLG 860SJ



Specification	Metric	Imperial
Working Height	28.04m	92 ft
Platform Height	26.21m	86 ft
Max Outreach	22.86m	75 ft
Safe Working Load	227 kg	500 lb
Length(stowed)	12.19m	40 ft
Width	2.49m	8 ft 2 in
Height (stowed)	3.05m	10 ft
Weight	17,150 kg	37,816 lb
Power Source	Diesel	





+971 56 101 8428, +971 56 545 3141 , +971 45 756 904



office@cherrypickers-rentals.com



www.cherrypickersglobal.com